

L Number	Hits	Search Text	DB	Time stamp
1	514	(code! OR codes! OR bytecodes\$2) NEAR10 (duplicat\$5 OR repeat\$4 OR repetition\$2) NEAR10 (structure\$2 OR element\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 13:46
2	56904	(index\$5 OR list\$2 OR listing\$2) NEAR20 (id! OR identifier\$2 OR reference\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 13:53
3	64	((code! OR codes! OR bytecodes\$2) NEAR10 (duplicat\$5 OR repeat\$4 OR repetition\$2) NEAR10 (structure\$2 OR element\$2)) AND ((index\$5 OR list\$2 OR listing\$2) NEAR20 (id! OR identifier\$2 OR reference\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 13:53
4	47	((code! OR codes! OR bytecodes\$2) NEAR10 (duplicat\$5 OR repeat\$4 OR repetition\$2) NEAR10 (structure\$2 OR element\$2)) AND ((index\$5 OR list\$2 OR listing\$2) NEAR20 (id! OR identifier\$2 OR reference\$2))) NOT @AD>19971001	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 13:54
5	32	((code! OR codes! OR bytecodes\$2) NEAR10 (duplicat\$5 OR repeat\$4 OR repetition\$2) NEAR10 (structure\$2 OR element\$2)) AND ((index\$5 OR list\$2 OR listing\$2) NEAR20 (id! OR identifier\$2 OR reference\$2))) AND (compress\$6 OR compact\$6 OR concentrat\$6) NOT @AD>19971001	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 14:04
6	24	((code! OR codes! OR bytecodes\$2) NEAR10 (duplicat\$5 OR repeat\$4 OR repetition\$2) NEAR10 (structure\$2 OR element\$2)) SAME (compress\$6 OR compact\$6 OR concentrat\$6)) NOT @AD>19971001	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 14:05

L Number	Hits	Search Text	DB	Time stamp
1	6031	(code! OR codes! OR bytecode\$2) NEAR2 compress\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 15:58
2	119	((code! OR codes! OR bytecode\$2) NEAR2 compress\$5) SAME array\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 15:07
3	2	((code! OR codes! OR bytecode\$2) NEAR2 compress\$5) SAME array\$2 SAME duplicat\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 15:07
4	7228	(code! OR codes! OR bytecode\$2) NEAR2 (compact\$6 OR concentrat\$5 OR compress\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 15:11
5	22227	(eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 15:13
6	514	((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2)) NEAR20 structure\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 15:14
7	7	((code! OR codes! OR bytecode\$2) NEAR2 (compact\$6 OR concentrat\$5 OR compress\$5)) AND (((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2)) NEAR20 structure\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 15:14
8	685	(code! OR codes! OR bytecode\$2) SAME ((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 15:44
9	29	((code! OR codes! OR bytecode\$2) NEAR2 compress\$5) AND ((code! OR codes! OR bytecode\$2) SAME ((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 15:16
10	35	((code! OR codes! OR bytecode\$2) NEAR2 (compact\$6 OR concentrat\$5 OR compress\$5)) AND ((code! OR codes! OR bytecode\$2) SAME ((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 15:21
11	2	6275824.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 15:27
12	31	((code! OR codes! OR bytecode\$2) NEAR2 (compact\$6 OR concentrat\$5 OR compress\$5)) AND ((code! OR codes! OR bytecode\$2) SAME ((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2))) NOT @AD>19971001	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 16:08
13	30	(compress\$5 OR compact\$5) SAME (code! OR codes! OR bytecode\$2) SAME ((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 15:45

14	22	((compress\$5 OR compact\$5) SAME (code! OR codes! OR bytecode\$2) SAME ((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2))) NOT @AD>19971001	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 15:53
15	695	((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2)) SAME (list\$2 OR array\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 16:02
16	6	((code! OR codes! OR bytecode\$2) NEAR2 compress\$5) AND (((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2)) SAME (list\$2 OR array\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 15:54
17	36821	(code! OR codes! OR bytecode\$2) NEAR2 (source! OR computer! OR software! OR byte\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 15:57
18	487	((code! OR codes! OR bytecode\$2) NEAR2 (source! OR computer! OR software! OR byte\$2)) NEAR5 (compact\$6 OR condens\$6 OR concentrat\$6 OR compress\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 16:00
19	6	((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2)) SAME (list\$2 OR array\$2) AND (((code! OR codes! OR bytecode\$2) NEAR2 (source! OR computer! OR software! OR byte\$2)) NEAR5 (compact\$6 OR condens\$6 OR concentrat\$6 OR compress\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 16:06
20	89	((code! OR codes! OR bytecode\$2) NEAR2 compress\$5) AND ((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2)) AND (list\$2 OR array\$2 OR index\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 16:07
21	291	((code! OR codes! OR bytecode\$2) NEAR2 (source! OR computer! OR software! OR byte\$2)) NEAR5 (compact\$6 OR condens\$6 OR concentrat\$6 OR compress\$5) AND (list\$2 OR array\$2 OR index\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 16:07
22	20	((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2)) AND (((code! OR codes! OR bytecode\$2) NEAR2 (source! OR computer! OR software! OR byte\$2)) NEAR5 (compact\$6 OR condens\$6 OR concentrat\$6 OR compress\$5)) AND (list\$2 OR array\$2 OR index\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 16:07
23	17	((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2)) AND (((code! OR codes! OR bytecode\$2) NEAR2 (source! OR computer! OR software! OR byte\$2)) NEAR5 (compact\$6 OR condens\$6 OR concentrat\$6 OR compress\$5)) AND (list\$2 OR array\$2 OR index\$5) NOT @AD>19971001	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 17:04
24	3	5764989.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 16:36
25	16	(overrid\$5 OR overwrit\$4) NEAR20 (software!) NEAR20 version\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 16:40

26	21	((inadverten\$4 OR accidental\$3) NEAR10 (upgrad\$4 OR replac\$6 OR updat\$5) NEAR10 (program\$2 OR software!))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 16:43
27	20	((inadverten\$4 OR accidental\$3) NEAR10 (upgrad\$4 OR replac\$6 OR updat\$5) NEAR10 (program\$2 OR software!)) NOT @AD>19990430	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 16:44
28	25	((code! OR codes! OR bytecode\$2) NEAR2 (source! OR computer! OR software! OR byte\$2)) NEAR5 (segment\$2 OR part! OR structure\$2) NEAR5 (id! OR identifier\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 16:52
29	18	((code! OR codes! OR bytecode\$2) NEAR2 (source! OR computer! OR software! OR byte\$2)) NEAR5 (segment\$2 OR part! OR structure\$2) NEAR5 (id! OR identifier\$2)) NOT @AD>19971001	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 16:58
30	34	((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2)) SAME ((code! OR codes! OR bytecode\$2) NEAR2 (source! OR computer! OR software! OR byte\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 16:57
31	25	((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2)) SAME ((code! OR codes! OR bytecode\$2) NEAR2 (source! OR computer! OR software! OR byte\$2))) AND (index\$5 OR array\$2 OR list\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 16:57
32	20	((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2)) SAME ((code! OR codes! OR bytecode\$2) NEAR2 (source! OR computer! OR software! OR byte\$2))) AND (index\$5 OR array\$2 OR list\$2)) NOT @AD>19971001	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 17:03
33	2892	reference! ADJ2 list\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 17:03
34	20	((code! OR codes! OR bytecode\$2) NEAR2 compress\$5) AND (reference! ADJ2 list\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 17:03
35	18	((code! OR codes! OR bytecode\$2) NEAR2 compress\$5) AND (reference! ADJ2 list\$2)) NOT @AD>19971001	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 17:08
36	57	((code! OR codes! OR bytecode\$2) NEAR2 (source! OR computer! OR software! OR byte\$2)) NEAR5 (compact\$6 OR condens\$6 OR concentrat\$6 OR compress\$5)) SAME (index\$5 vOR array\$2 OR referenc\$5 OR mapp\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 17:09
37	57	((code! OR codes! OR bytecode\$2) NEAR2 (source! OR computer! OR software! OR byte\$2)) NEAR5 (compact\$6 OR condens\$6 OR concentrat\$6 OR compress\$5)) SAME (index\$5 OR array\$2 OR referenc\$5 OR mapp\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 17:09

L Number	Hits	Search Text	DB	Time stamp
1	6031	(code! OR codes! OR bytecode\$2) NEAR2 compress\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 15:58
2	119	((code! OR codes! OR bytecode\$2) NEAR2 compress\$5) SAME array\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 15:07
3	2	((code! OR codes! OR bytecode\$2) NEAR2 compress\$5) SAME array\$2 SAME duplicat\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 15:07
4	7228	(code! OR codes! OR bytecode\$2) NEAR2 (compact\$6 OR concentrat\$5 OR compress\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 15:11
5	22227	(eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 15:13
6	514	((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2)) NEAR20 structure\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 15:14
7	7	((code! OR codes! OR bytecode\$2) NEAR2 (compact\$6 OR concentrat\$5 OR compress\$5)) AND ((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2)) NEAR20 structure\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 15:14
8	685	(code! OR codes! OR bytecode\$2) SAME ((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 15:44
9	29	((code! OR codes! OR bytecode\$2) NEAR2 compress\$5) AND ((code! OR codes! OR bytecode\$2) SAME ((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 15:16
10	35	((code! OR codes! OR bytecode\$2) NEAR2 (compact\$6 OR concentrat\$5 OR compress\$5)) AND ((code! OR codes! OR bytecode\$2) SAME ((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 15:21
11	2	6275824.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 15:27
12	31	((code! OR codes! OR bytecode\$2) NEAR2 (compact\$6 OR concentrat\$5 OR compress\$5)) AND ((code! OR codes! OR bytecode\$2) SAME ((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2)))) NOT @AD>19971001	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 16:08
13	30	(compress\$5 OR compact\$5) SAME (code! OR codes! OR bytecode\$2) SAME ((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 15:45

14	22	((compress\$5 OR compact\$5) SAME (code! OR codes! OR bytecodes\$2) SAME ((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2))) NOT @AD>19971001	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 15:53
15	695	((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2)) SAME (list\$2 OR array\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 16:02
16	6	((code! OR codes! OR bytecodes\$2) NEAR2 compress\$5) AND ((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2)) SAME (list\$2 OR array\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 15:54
17	36821	(code! OR codes! OR bytecodes\$2) NEAR2 (source! OR computer! OR software! OR byte\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 15:57
18	487	((code! OR codes! OR bytecodes\$2) NEAR2 (source! OR computer! OR software! OR byte\$2)) NEAR5 (compact\$6 OR condens\$6 OR concentrat\$6 OR compress\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 16:00
19	6	((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2)) SAME (list\$2 OR array\$2) AND (((code! OR codes! OR bytecodes\$2) NEAR2 (source! OR computer! OR software! OR byte\$2)) NEAR5 (compact\$6 OR condens\$6 OR concentrat\$6 OR compress\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 16:06
20	89	((code! OR codes! OR bytecodes\$2) NEAR2 compress\$5) AND ((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2)) AND (list\$2 OR array\$2 OR index\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 16:07
21	291	((code! OR codes! OR bytecodes\$2) NEAR2 (source! OR computer! OR software! OR byte\$2)) NEAR5 (compact\$6 OR condens\$6 OR concentrat\$6 OR compress\$5) AND (list\$2 OR array\$2 OR index\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 16:07
22	20	((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2)) AND ((code! OR codes! OR bytecodes\$2) NEAR2 (source! OR computer! OR software! OR byte\$2)) NEAR5 (compact\$6 OR condens\$6 OR concentrat\$6 OR compress\$5) AND (list\$2 OR array\$2 OR index\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 16:07
23	17	((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2)) AND (((code! OR codes! OR bytecodes\$2) NEAR2 (source! OR computer! OR software! OR byte\$2)) NEAR5 (compact\$6 OR condens\$6 OR concentrat\$6 OR compress\$5)) AND (list\$2 OR array\$2 OR index\$5) NOT @AD>19971001	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 16:30
24	3	5764989.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 16:30

L Number	Hits	Search Text	DB	Time stamp
1	12032	(compress\$6 OR compact\$6) NEAR5 (code! OR codes! OR bytecode\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 10:34
2	6958	(compress\$6 OR compact\$6) NEAR2 (code! OR codes! OR bytecode\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 10:35
3	1	((compress\$6 OR compact\$6) NEAR2 (code! OR codes! OR bytecode\$2)) SAME duplicat\$6 SAME (element\$2 OR (data! ADJ2 structure\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 10:37
4	75	(code! OR codes! OR bytecode\$2) NEAR20 duplicat\$6 NEAR20 (element\$2 OR (data! ADJ2 structure\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 10:39
5	736	(code! OR codes! OR bytecode\$2) NEAR20 (redundan\$4 OR repeat\$4 OR repetition\$2 OR duplicat\$6 ) NEAR20 (element\$2 OR (data! ADJ2 structure\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 10:48
6	49	((compress\$6 OR compact\$6) NEAR2 (code! OR codes! OR bytecode\$2)) AND ((code! OR codes! OR bytecode\$2) NEAR20 (redundan\$4 OR repeat\$4 OR repetition\$2 OR duplicat\$6 ) NEAR20 (element\$2 OR (data! ADJ2 structure\$2)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 10:43
7	39	((compress\$6 OR compact\$6) NEAR2 (code! OR codes! OR bytecode\$2)) AND ((code! OR codes! OR bytecode\$2) NEAR20 (redundan\$4 OR repeat\$4 OR repetition\$2 OR duplicat\$6 ) NEAR20 (element\$2 OR (data! ADJ2 structure\$2)))) NOT @AD>19971001	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 10:44
8	11	((code! OR codes! OR bytecode\$2) NEAR20 (redundan\$4 OR repeat\$4 OR repetition\$2 OR duplicat\$6 ) NEAR20 (element\$2 OR (data! ADJ2 structure\$2))) SAME index\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 10:51
9	152	((code! OR codes! OR bytecode\$2) NEAR20 (redundan\$4 OR repeat\$4 OR repetition\$2 OR duplicat\$6 ) NEAR20 (element\$2 OR (data! ADJ2 structure\$2))) AND index\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 10:51

L Number	Hits	Search Text	DB	Time stamp
1	12032	(compress\$6 OR compact\$6) NEAR5 (code! OR codes! OR bytecode\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 10:34
2	6958	(compress\$6 OR compact\$6) NEAR2 (code! OR codes! OR bytecode\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 10:35
3	1	((compress\$6 OR compact\$6) NEAR2 (code! OR codes! OR bytecode\$2)) SAME duplicat\$6 SAME (element\$2 OR (data! ADJ2 structure\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 10:37
4	75	(code! OR codes! OR bytecode\$2) NEAR20 duplicat\$6 NEAR20 (element\$2 OR (data! ADJ2 structure\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 10:39
5	736	(code! OR codes! OR bytecode\$2) NEAR20 (redundan\$4 OR repeat\$4 OR repetition\$2 OR duplicat\$6 ) NEAR20 (element\$2 OR (data! ADJ2 structure\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 10:43
6	49	((compress\$6 OR compact\$6) NEAR2 (code! OR codes! OR bytecode\$2)) AND ((code! OR codes! OR bytecode\$2) NEAR20 (redundan\$4 OR repeat\$4 OR repetition\$2 OR duplicat\$6 ) NEAR20 (element\$2 OR (data! ADJ2 structure\$2)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 10:43
7	39	((compress\$6 OR compact\$6) NEAR2 (code! OR codes! OR bytecode\$2)) AND ((code! OR codes! OR bytecode\$2) NEAR20 (redundan\$4 OR repeat\$4 OR repetition\$2 OR duplicat\$6 ) NEAR20 (element\$2 OR (data! ADJ2 structure\$2)))) NOT @AD>19971001	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 10:44



[IEEE HOME](#) | [SEARCH IEEE](#) | [SHOP](#) | [WEB ACCOUNT](#) | [CONTACT IEEE](#)[Membership](#) [Publications/Services](#) [Standards](#) [Conferences](#) [Careers/Jobs](#)**IEEE Xplore™**  
RELEASE 1.3[Help](#) [FAQ](#) [Terms](#) [IEEE Peer](#) [Quick Links](#)[Review](#)

Welcome to IEEE Xplore®

- ☐ Home
- ☐ Log-out

**Tables of Contents**

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

**Search**

- ☐ By Author
- ☐ Basic
- ☐ Advanced

**Member Services**

- ☐ Join IEEE
- ☐ Establish IEEE Web Account

 [Print Format](#)Your search matched **[0]** of **[756407]** documents.

You may refine your search by editing the current search expression or entering a new one the text box. Then click search Again.

**OR**

Use your browser's back button to return to your original search page.

**Results:****No documents matched your query.**

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2002 IEEE — All rights reserved

[> home](#) [> about](#) [> feedback](#) [> logout](#)

US Patent &amp; Trademark

## Advanced Search

Enter words or phrases separated by commas.

All words include stemmed variations unless they are enclosed in "double quotes".

Use only lower case, unless case sensitivity is required.

All items entered will be used as the search criteria. (AND)

Desired Results:

N

must have all of the words or phrases

must have any of the words or phrases

must have none of the words or phrases

Only search in:

☐ Title ☐ Abstract ☐ Review

\*Searches will be performed on all available information, including full text where available, unless specified above.

ISBN / ISSN: ☒ Exact ☐ Expand

D

Published:

C

By: ☒ any ☐ all ☐ none

S

In: ☒ any ☐ all ☐ none

C

Since:

C

Month  Year

Before:

L Number	Hits	Search Text	DB	Time stamp
1	138	ross-richard\$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 09:24
2	2	ross-richard\$.in. AND compress\$6 AND code\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/21 09:25